

Block 35 – Michelle Marvig

General instructions :

The measurements given for cutting include seam allowances of 7 mm ($\frac{1}{4}$ "), rounded to 15 mm ($\frac{1}{4}$ ") for two seams. Make any necessary adjustments. The measurements in the explanatory diagrams do not include seam allowances, except for those diagrams that specify "Seam allowances included". The raw-edge technique is used for the appliqués. Do not add a seam allowance to the templates. Trace each shape onto the smooth side of the double-sided fusible web. Make sure that each piece is oriented in the right direction so that it is identical to the pattern on the right side. Loosely cut around each marked piece. With a hot iron and using steam, fuse each piece to the wrong side of fabric of sufficient size. Then cut on the marked line.

Cutting key:

- ◻: Square cut on one diagonal
- ⊠: Square cut on the two diagonals

For those using the traditional cutting method, note that you will find:


- the templates on the pattern; add seam allowances to them
- the quantities **in bold** in the Cutting section

Cutting :

- From an assortment of eight pink fabrics, cut the following:
 - one 8.8 cm ($3\frac{3}{8}$ ") square, ◻ → **two A triangles** of each fabric
- From one white fabric for the background:
 - one 16 cm ($6\frac{1}{4}$ ") square, ⊠ → **four B triangles**
 - four 7.8 cm (3 ") C squares
- From one green fabric:
 - four of leaf 1

Assembly :

Diagram 1: Stitch the A triangles together in twos and join them to obtain your block centre.



QUILTmania

Diagram 2: Place your block centre on your work surface. Place one A triangle of the same fabric opposite each previously sewn triangle. With each A triangle correctly positioned, stitch them to either side of the B triangles.





Diagram 3: Making sure that each flying geese block obtained is correctly positioned, stitch the blocks situated on the right and left sides of the block centre to this centre.

Add one C square to the ends of the remaining flying geese blocks and join these units to the top and bottom.



QUILTmania

Diagram 4: Remove the paper film from the fusible web lining each appliqué piece 1. Then referring to the diagram, position the pieces on the right side of your block. Fuse the elements with a hot iron, using steam. Work blanket stitch around each piece, using coordinating embroidery floss.

